

IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A system (100) including, comprising:

a rendering apparatus; (120),

a server; (110) and

a network (130) for to enable communication between the rendering apparatus and the server;

to enable the server having access to content, hereinafter referred to as "server content"; provides access to server content that includes separately accessible content server items of the server content being identified by respective server content locators, such as a URL;

wherein the rendering apparatus having provides access to further content, hereinafter referred to as "local content"; local content wherein titles of the local content being are associated with respective local content identifiers;

wherein the rendering apparatus ~~being~~is operative to render local content items of the local content and to render server content items that relate to the local content items;

wherein the system ~~being~~is operative to generate and to store a plurality list of bookmarks, wherein identifying respective server content items, each bookmark including in the list of bookmarks includes a server content locator and a local content identifier to link a local content item to a related server content item; and

wherein the rendering apparatus ~~being~~is operative to present the stored list of bookmarks to a user for selection of a bookmark and render a server content item indicated by the server content locator of a user-selected bookmark conditional on having access to a local content title associated with the local content identifier of the user-selected bookmark.

2. (Currently Amended) ~~A~~The system as claimed in claim 1, wherein the rendering apparatus includes a user interface for presenting to ~~a~~the user which bookmarks in the stored list of

bookmarks are selectable at a given time for rendering of server content indicated by the respective bookmark at that time.

3. (Currently Amended) A-The system as claimed in claim 1,
wherein a bookmark is selectable only if the rendering apparatus has access to a local content title associated with the local content identifier of the bookmark.

4. (Currently Amended) A-The system as claimed in claim 1,
wherein the rendering apparatus includes a user interface for presenting bookmarks to a user organized according to the respective local content identifiers of the bookmarks.

5. (Currently Amended) A-The system as claimed in claim 1,
wherein the rendering apparatus is operative to render a server content item indicated by the server content locator of a user-selected bookmark ~~synchronous to in synchronization with~~ rendering the local content title associated with the local content

identifier of the bookmark upon user selection of the user-selected bookmark.

6. (Currently Amended) A-The system as claimed in claim 5,
wherein separately accessible items of the local content are
identified by respective local content locators, ~~such as a time~~
~~indicator; wherein the bookmark including~~ includes a local content
locator enabling starting the rendering of the local content title
at a location indicated by the local content locator.

7. (Currently Amended) A-The system as claimed in claim 1,
wherein the bookmark includes a user ID identifying a user of the
rendering apparatus, ~~and/or or~~ a family ID identifying a family of
users of the rendering apparatus or both user and family IDs.

8. (Currently Amended) A-The system as claimed in claim 7,
wherein the user interface is operative to present the stored
bookmarks organized according to the user ID ~~and/or or~~ family ID of
the bookmarks or both user and family IDs.

9. (Currently Amended) --A--The system as claimed in claim 1, wherein the bookmark includes a parental level indicator, wherein the rendering apparatus being is operative to present a bookmark and/or or to render a remote item indicated by a bookmark, or present and render, only if the parental level indicator of the bookmark matches a parental level setting of the rendering apparatus.

10. (Currently Amended) A--The system as claimed in claim 1, wherein the system is operative to generate and store a bookmark in the bookmark list in response to an instruction from a user, wherein the generated bookmarks includes each include a server content locator identifying a server content item currently being rendered and a local content identifier associated with a local content item that currently is accessible.

11. (Currently Amended) A-The system as claimed in claim 1,
wherein the system is operative to generate bookmarks
automatically.

12. (Currently Amended) A-The system as claimed in claim 11,
wherein the system is operative to generate a bookmark for a server
content item in response to an instruction to terminate rendering
of a server content item to enable resumption of rendering of the
server content item.

13. (Currently Amended) A-The system as claimed in claim 11,
wherein the system is operative to generate a bookmark for a server
content item in response to a user selecting a server content item
for rendering, creating a history list of bookmarks.

14. (Currently Amended) A-The system as claimed in claim 1,
wherein the rendering apparatus is operative to verify an
authenticity of an accessible local content title and to render a

server content item indicated by the server content locator of a bookmark only upon a positive outcome of the verification.

15. (Currently Amended) ~~A~~The system as claimed in claim 1, wherein a local content title is stored on a removable storage medium including a medium identifier, wherein the local content identifier includingincludes the medium identifier.

16. (Currently Amended) ~~A rendering apparatus for use in the~~The system as claimed in claim 1, wherein the rendering apparatus beingis operative to generate the bookmarks.

17. (Currently Amended) ~~A server for use in the~~The system as claimed in claim 1, wherein the server beingis operative to store the bookmarks.

18. (Currently Amended) A method of generating a bookmark to content in a server accessible through a network, the method includingcomprising acts of:

retrieving a local content identifier associated with a title of a local content item that accessible for rendering by a rendering apparatus local to the local content item;
retrieving a server content locator, such as a URL, identifying a separately accessible server content item of the server content that is related to the local content title; and generating and storing a new bookmark in a list of bookmarks to link the local content item to the related server content item, wherein the new bookmark that includes the retrieved server content locator and the corresponding local content identifier.

19. (Currently Amended) A method of accessing content in a server accessible through a network; the method including acts of:

retrieving a presenting a list of bookmarks to a user enabling user-selection of one or more bookmarks in the presented list of bookmarks, wherein each bookmark in the list of bookmarks that includes a local content identifier associated with a local content title of local content item accessible for rendering by a rendering apparatus local to the local content item, and a server

content locator, such as a URL, identifying a separately accessible server content item of the server content that is related to the local content title of the local content item; and
in response to a user-selected bookmark in the presented list of bookmarks, rendering a server content item indicated by the server content locator of the user-selected bookmark conditional on having access to the local content title associated with the local content identifier of the user-selected bookmark.

20. (Currently Amended) A ~~computer program product operative to cause a processor~~ computer readable medium comprising program instructions stored thereon, which are executable by a processor to perform the method of claim 18.